

RECEIVED
CENTRAL FAX CENTER

Patent

DEC 06 2005

Customer No.: 31561
Docket No.: 08309-US-PA-1
Application No.: 10/604,364

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Applicant : Kuo-Tso Chen
Application No. : 10/604,364
Filed : 2003/7/15
For : SUBSTRATE EXPOSURE APPARATUS AND METHOD
Art Unit : 2851
Examiner : Gutierrez, Kevin C.

TRANSMITTAL LETTER

002-1-571-273-8300

(Via fax : 1+10 pages)

Assistant Commissioner for Patents
Alexandria, VA 22314

Dear Sir,

In response to the Office Action dated September 6, 2005(Paper No.: 08222005), please find the Response to Office Action, in 10 pages.

I believe that no fee is incurred. However, the Commissioner is authorized to charge any fees required in connection with the filing of this paper to account No. 50-2620 (Order No.: 08309-US-PA-1).

Thank you for your assistance in the subject matter. If you have any questions, please feel free to contact me.

Respectfully Submitted,
JIANQ CHYUN Intellectual Property Office

Date : Dec. 6, 2005

By : Belinda Lee
Belinda Lee
Registration No.: 46,863

Please send future correspondence to:**7F. -1, No. 100, Roosevelt Rd.,****Sec. 2, Taipei 100, Taiwan, R.O.C.****Tel: 886-2-2369 2800 Fax: 886-2-2369 7233 / 886-2-2369 7234****E-MAIL: BELINDA@JCIPGroup.com.tw; USA@JCIPGroup.com.tw**

RECEIVED
CENTRAL FAX CENTER

DEC 06 2005

Customer No.: 31561
Application No.: 10/604,364
Docket No.: 8309-US-PA-1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:)	Examiner : GUTIERREZ, KEVIN C
)	
Kuo-Tso Chen)	Art Unit : 2851
)	
Serial No. : 10/604,364)	
)	
Filed : July 15, 2003)	<u>AMENDMENT</u>
)	
For : SUBSTRATE EXPOSURE)	Docket No. : 8309-US-PA-1
APPARATUS)	

No fee is believed to be due. However, the Commissioner is authorized to charge any fees required in connection with the filing of this paper to account No. 50-2620 (Order No.: 8309-US-PA-1)

AMENDMENT AND RESPONSE TO NON-FINAL OFFICE ACTION

United States Patent and Trademark Office
Customer Service Window, Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Dear Sir:

The Non-Final Office Action mailed September 6, 2005 has been carefully considered. In response thereto, please consider the following remarks.

Page 1 of 10

Customer No.: 31561
Application No.: 10/604,364
Docket No.: 8309-US-PA-1

In the Title

Please change title as "SUBSTRATE EXPOSURE APPARATUS".